DYNASTY GROUP LTD

Add: Room N°1205, 12/F, Fuying International Building, 166-3 Changgang Road, Guangzhou, 510260 China

Tel: +86 (0)20 8430 3970 Mobile: 008613710492474

Website:www.dynastygroupltd.net

E-mail: dynastyg@dynastygroupltd.net

Quotation

Picture	Model Number:GS-G90E GSM alarm system (900/1800,850/1900mhz)
Promotion& New	
	1. Touch screen Keypad GSM alarm system with delicate design. 2. 99 wireless defense zones and 8 wired zones 3. LCD display, built-in calendar clock, Full voice prompts on installation setting and daily operation (Present Voice Prompts options : English/ French/ Spanish,other local languages can be added) 4.Can Store 6 groups of phone numbers : when alarming,the alarm system will make alarm call to these numbers automatically. Can Store 2 groups of phone numbers : when alarming,the alarm system will send SMS to these numbers automatically. 5.Each zone name can be modified by user . 6.Built-in intercom speaker, can achieve two way intercom function 7. Alarm host can be used as a hand-free phone. 8.10 seconds pre-record voice message recording playback: human recording, synchronous playback for recording effect in audition. 9.Defense modes: remote, keypad and non-local remote by telephone, stay-in, timing defense and individual defense in zones. 10.Timing arm and disarm: console features automatic timing arm and disarm
Standard packing list One main unit One wireless door/window sensor One wireless PIR sensor Two remote controllers One AC adapter	Price (USD) Sample: EXW Shenzhen $69 10 to 50sets :$67 51 to 100 sets :$65 101 to 200sets:$59

Quotation

Picture	Model Number:GS-G200E GSM alarm system (900/1800,850/1900mhz)
Promotion& New  	New and Hot Simple GSM alarm system with voice record and APP application feature 1.GSM network support,work with APP application both on IOS and Android 2.Setting by APP and following: 5 alarm call/SMS No.+1 alarm CID call No.+1 upload SMS No.+ 10S recording + Arm Delay + Alarm Delay + Alarm Beep Setting+ Call-in time setting+ Wireless Program+ Zone Attribute Setting+ User password + Program Password + Reset + Alarm History + Status History+temperature setting. 3.Use APP to check the Alarm host status as well as check the present temperature in house. 4.One relay output control (NO/NC for optional).Temperature control output,alarm output,APP control output for optional. Wireless encode feature,support 16 wireless zones+ 4 wired zones,every defence zone can be set alarm delay separately. User can modify the zone name via APP or SMS.zone name can be define by user. 5.Alarm SMS content can be revised by user . 6.Spport Contact ID protocol,(Upload to CMS information including Alarm information and Arm/disarm information). 7.Arm Mode: Home arm mode and Away arm mode. 8.Arm or Disarm method : User can use Remote controller, APP, remote call, wireless keypad to Arm or disarm the system 9.Temperature sensor alarming feature,user can set a fixed temperature range ,once the actual temperature is higher or lower than this range,SMS will be sent. Support IP camera ,one alarm output can interactive IP camera. 10.Support Factory resetting feature.
Standard packing list: One main unit One door/window sensor One wireless PIR sensor Two remote controllers One AC adapter	**Price: $59**

Quotation

Picture	Model Number:GS-G190E GSM alarm system (900/1800,850/1900mhz)
New **black version** **Standard packing list:** **One main unit** **One wireless door/window sensor** **One wireless PIR sensor** **Two remote controllers** **One AC adapter**	**1.GSM plus telephone line compatible,Quad-band GSM communicator, work in any countries around the world** **2.Smart touch keypad plus LCD display** **3.30 wireless zones, support 116 units wireless sensors,8 hard wired zones** **4.Maximum support 8 units keyfobs/wireless LCD/LED keypads,Store 5 phone numbers and 1 central monitoring station number** **5.Alarm notification via audio phone call and text message (SMS)** **6.Home Arm (Partial Arm), Away Arm, Exit/Entry delay, time adjustable** **7.Voice memo recordable (10 seconds)** **8.Advanced zone attribute, fully programmable; Bypass zone support; Door bell function; Smart zones function** **9.Built-in siren;Support wireless/hardwired indoor/outdoor siren;Siren yelling time adjustable** **10.Power off SMS** **11.Compatible with ADEMCO Contact ID** **12.Upload status to central monitoring station** **Price (USD) Sample: EXW Shenzhen $89** **10 to 50sets :$87** **51 to 100 sets:$79** **101 to 200sets:$77**

Quotation

Picture	Model Number:GS-G110E GSM alarm system (900/1800,850/1900mhz)
Promotion	1. 8 wired and 100 wireless defense zones; GSM sim card network, quad-band, 850/900/1800/1900mhz 2.LCD screen with time clock display 3,Voice prompt for all operations, English/Spanish/French for choice 4,store 6 phone numbers: when it is alarming, alarm system will make alarm call to these numbers automatically; 6,Can store 3 SMS numbers: when alarming, system will send alarming SMS message automatically; 7,10-second voice message recording; 8.comfortable keypad with cover preventing kids to press. 9,Users can make calls by using keypad on alarm panel, work like a telephone; 10,One-key-control function: Away Arm, Home Arm, Remote Arm; 11,SOS, fire, gas, door, hall, window, balcony, and boundary places alarm; 12,2-way intercom 13,Wireless coding: easy to add additional wireless accessories; 14,Built-in AAA NI-HI rechargeable battery: make alarm sounds when power off;
Standard packing list One main unit One wireless door/window sensor One wireless PIR sensor Two remote controllers One wired siren	Price (USD) Sample: EXW Shenzhen $52 10 to 100sets :$50 101 to 200sets:$49

Quotation

Piceture	Model Number:GS-G180E GSM +PSTN alarm system (900/1800,850/1900Mhz)
	1.Touch keypad; Large LCD display; Internal antenna 2.GSM+PSTN dual network. 3. 30 wireless zones + 8 wired zones 4.Supports 15s' monitoring via phone call 5.Alarm SMS include alarm zone and sensors name 6.Support wireless “ding-dong” doorbell function 7.Alarm priority, Reset, activate and disable alarm call and alarm SMS
Standard Package: One alarm host One wireless door/window magnetic contact One PIR motion sensor Two remote controllers One AC adapter One English user manual Nice package: 	8. Work with Ademco Contact ID protocol and supports uploading to monitoring center (alarm/arm information, status information, AC power off and recover, host and sensor low voltage notice) 9. Arm\ Disarm the system in 5 ways: remote SMS message, remote phone call, Main Host (Keypad), Wireless Keypad (optional), Keychain Remotes. (PSTN alarm don’t support SMS) 10.SMS Message of host and sensor in low battery or energy will be sent to preset phone No. 11. Multi-languages version for choice: English/French/German/Spanish/Italian/Russian/Danish/Dutch/Turkish/ Swedish and all languages available if you can help in translation *Advantages: 1.touch keypad 2. internal antenna and nice look. 3.Many language version available 4.large LCD 5. ABS fire-proof material 6. GSM+PSTN dual-network*
	Price(USD)Sample: EXW ShenZhen$83
	10 to 50 sets:$82
	51 to 100 sets:$81
	101 to 200sets:$79

Quotation

Picture	Model Number:GS-G80VE GSM alarm system (900/1800,850/1900mhz)
	1.Touch keypad, blue backlights; blue LCD displays Date, Day of the week, Time and current Armed Status; 2. Concise icons guided LCD display. Suitable for every market all over the world. 3. 2 /4 Band GSM net-work. Supports phone call alarm and SMS alarm at the same time, SMS includes zone number and alarm event type. Automatically switch to GSM dialing when telephone line is cut. 4. 15 wireless zones (Each zone supports up to 4 sensors) and 1 dedicated zones for remotes (Supports up to 10 remotes or wireless keypads per zone). Supports 2 wired zones (optional). 5. Can preset up to 6 phone numbers and dial in sequence. Every mobile phone number can be set for phone call alarm or SMS alarm. 6. Intelligent logic analysis technology, corresponding zone number can be displayed on LCD screen. 7.Record up to a 10 second greeting for phone call alarms which can be heard when answering the alarm call. 8.Arm\ Disarm the system by 5 ways: SMS, Main Host (Keypad), Wireless Keypad (optional), Keychain Remotes, and phone calls. (PSTN alarm don't support SMS) 9.Available in AC\DC, Low-voltage alerts. 10. "One-Key" arm, studies sensors to alarm host, very easy operation. 11. Non-volatile chip, information stored automatically when off power. 12.Door\window status self-check and "Ding Dong" doorbell can be completed as optional functions. 13.8 zone electrical appliance control and 8 groups of scene control can be completed as optional functions. 14.Support CID uploading to CMS (Center monitoring Station) 15.Disconnection alarm, auto priority to occupy the telephone and monitoring function to hear what is happening. 16. Built-in Lithium backup battery, perfect system self-check, alerts of landline phone cable cut, no SIM card, alarm host low power,no external power supply and even low battery power of sensors.
Standard packing list	
One main unit	
One wireless door/window magnetic	
One wireless PIR sensor	
One wireless strobe siren	
Two remote controllers	Price (USD) Sample: EXW Shenzhen $83
	10 to 50sets : $81
	51 to 200 sets : $78

Quotation

PSTN Alarm

Picture	Model Number:GS-T02 PSTN alarm system
	1.99 wireless defence zones 2.Each zone supports 3 modes freely. Switch off mode, Intelligent mode and Emergency mode Emergency mode: It use for put smoke detector, gas detector and other 24h working sensors. Intelligent mode: Usually switch on it when user at home. The zone for put PIR motion sensor, door sensor which user will be detecting when he in the house. The sensor in intelligent zone be triggered, it will not alarming. 3.Anti-wireless signal interfere function. 4.Can program 6 alarm phone numbers for receiving alarm phone call 5.Preset sound alarming and silence alarming. 6.Arm/disarm by remote control and phone call. 7.Alarm phone call to be 1st function. 8.Some zone can be disarmed by remote control solely. 9*.Anti-phone line cut alarm function. 10. Switch to Backup rechargeable battery automatically when power is failure or cut by intruder. 11.Support doorbell functions: Detector will be Door Bell when disarmed 12.With learning code programme method,it's easy to operate
paking list:	
One main unit One wireless door sensor One wireless PIR sensor Two remote controllers One strobe siren One AC adapter	
	Price (USD) Sample: EXW Shenzhen $28 10 to 50sets :$25 51 to 200 sets : $21

Quotation

Picture	Model Number:GS-T08E PSTN alarm system
	1,100 wireless and 8 wire defense zones. 2,Blue backlighting graphic display. 3,6 groups of voice alarm phones (mobile phone), and 2 groups of phones in alarm receipt center. 4,Built-in perpetual calendar and clock; auto record alarm history by time sequence. 5,Message recording playback: human recording, synchronous playback for recording effect in audition. 6,More defense modes: remote defense, keypad defense, and non-local remote defense by telephone; stay-in defense, timing defense, an 7,Programming of defense zone type: all zones could be programmed via keypad for immediate, delayed, 24-hour and bypass alarm modes. 8,Alarm Position Programming: Intelligent automatic speech recognition: SOS alarm, fire alarm, gas leak, magnetic contact alarm, hall alarm, window alarm, balcony alarm, and perimeter alarm 9,Timing arm and disarm: console features automatic timing arm and disarm. 10,Two arm models: 1)home alarm model:console music and voice alarm, external siren mute 2) home away arm model:console voice alarm, loud external siren alarm. 11,Password Recovery: Whether the console is in defense or withdrawal, the lost password can be recovered. 12,Intelligent learning code: intelligent learning code, newly added with detector which is prompt and efficient, and convenient 13,Event Log Query: console automatically records 45 pieces of all information concerning defense, withdrawal and alarm events. 14,Line priority alarm: the console will cut the busy call and switch to priority alarm in case of the alarm during ongoing call, no matter incoming or outgoing call. 15,Phone disconnection detection: automatic detection and alarm warning in line disconnection, for anti-sabotage of telephone lines. 16,Remote control: through remote phone (cell phone) dial-up, many operations could be realized, like defense, withdrawal and on-site monitoring by the console in the remote control form. 17.Console is equipped with battery box, with optional AAA NI-HM rechargeable battery.Console meets 3C safety standards and national standard GB12663-2001 18,Compatible with internationally accepted protocol of alarm receipt center: Ademco Contact ID alarm communication protocol.
Technical parameters:	
a)Input Voltage: DC12V 500mA	
b)Standby Current: 50mA	
c)Alarm Current: 450mA max	
e)Output current: DC12V 150mA	
f)Wireless Frequency: 315MHz	
g)Coding Method: 2262 IC / 4.7MΩ	
h)Alarm noise: 110dB	
i)Back-up Battery: AAA 7.2V	
j)Environment Temperature:	
-20℃ ～ +55℃	**Price (USD) Sample: EXW Shenzhen $38** **10 to 50sets :$35** **51 to 200 sets : $32**

Quotation

Picture	Model Number:GS-T01B PSTN alarm system
	Remark:
1* main unit 1* PIR motion sensor 1* indoor siren 1* door magnetic sensor 2* remote controllers	The difference between GS-T01A and GS-T01B: GS-T01B has following extra features: 1) LCD display 2) With year/week /time/armed status 3) Available to display in the following languages: English, Chinese, German, Russian, French, Japanese etc. 4) 30 wireless zones, can work with up to 120 wireless sensors (each zone supports up to 4 sensors) 5)Support ADEMCO Contact ID protocol uploading to CMS(Center monitoring Station) All the functions and specification are same except for above Price (USD) Sample: EXW Shenzhen $60 10 to 50sets :$58 51 to 200 sets : $55 Note:GS-T01B has 868mhz version

Quotation

MMS Alarm System

3G Video ALARM SYSTEM

Quotation

Picture	Model Number:GS-98A 850/900/1900/2100MHZ
	1. Camera can send alarm messages by SMS, video call, voice call
	2.Max 15 wireless alarm sensors can be added.
	3.Support to record the alarming image to the camera
	4.Wireless remote control: it can arm ,disarm or send emergency alarm
	5.Up to 11 telephone numbers can be pre-stored in the system
	6.Including the intensity detection and infrared lighting functions
	7. Motion detection function within 6m
	8.using high sensitivity MIC, can make calls within 7m.
Standard Paking:	9.you can call the video phone to check the video of monitoring
one alarm host	10.3G standard:WCDMA,Built-in 2GB TF card
one wireless door sensor	Price (USD) Sample: EXW Shenzhen $119
	5 to 50sets :$117
	51 to 100sets:$115
	101 sets to 200 sets:112
Picture	Model Number:GS-98B 850/900/1900/2100MHZ
	1. Camera can send alarm messages by SMS, video call, voice call
	2.Max 15 wireless alarm sensors can be added.
	3.Support to record the alarming image to the camera
	4.Wireless remote control: it can arm ,disarm or send emergency alarm
	5.Up to 11 telephone numbers can be pre-stored in the system
	6.Including the intensity detection and infrared lighting functions
	7. Built-in PIR detection function within 6m
	8.using high sensitivity MIC, can make calls within 7m.
Standard Paking:	9.you can call the video phone to check the video of monitoring
one alarm host	10.3G standard:WCDMA,The outer TF card

Quotation

one wireless door sensor	Price (USD) Sample: EXW Shenzhen $112
two remote controller	5 to 50sets :$108
	51 to 100sets:$105
	101 sets to 200 sets:103
Picture	**Model Number:GS-6828 850/900/1900/2100MHZ**
	1. Camera can send alarm messages by SMS, video call, voice call
	2.Max 15 wireless alarm sensors can be added.
	3.Support to record the alarming image to the camera
	4.Wireless remote control: it can arm ,disarm or send emergency alarm
	5.Up to 11 telephone numbers can be pre-stored in the system
	6.Including the intensity detection and infrared lighting functions
	7. Built-in PIR detection function within 6m
	8.Built-in MIC and speaker,enables two-way intercom and on-site shouting function
Standard Paking:	9.you can call the video phone to check the video of monitoring
one alarm host	10.3G standard:WCDMA
one wireless door sensor	11.The outer TF card
two remote controller	12.3G frequency:850/900/1900/2100MHZ
	Price (USD) Sample: EXW Shenzhen $129
	5 to 50sets :$125
	51 to 100sets:$122
	101 sets to 200 sets:119